balmoral™
engineering

Product Catalogue

Revision 12



balmoralengineering.com | info@balmoralengineering.com | +61 2 9482 4000

balmoral™
engineering

"WHO WE ARE"

Since 1974, Balmoral Engineering has been manufacturing and supplying a range of safety products for the Electricity Industry with a core focus on the prevention of Power Line Strikes.

We are a multi-generation family business with a long term view and partnership approach to working with our Utility customers.

We have forged close relationships not only with our customers, but also our Japanese suppliers who are also a multi-generation family company. For decades these partnerships have developed with a foundation of trust creating bilateral respect and dependable outcomes. This is reflected in the tenure of many of these relationships, some dating back to the companies inception.



Sections

1 PATENT ROTAMARKA™ WARNING MARKERS

2 LINE GUARDS TIGER TAILS™ PANTHER TAILS™ LION TAILS™

3 GLOVES & SLEEVES

4 MATS & COVERS



5 RESCUE KITS & ACCESSORIES

balmoralengineering.com | info@balmoralengineering.com | +61 2 9482 4000

WARNING MARKERS

ROTAMARKA™

PATENT PENDING

- Marine grade components
- Reduced line loading by design
- Thermally tested
- UV Resistant
- Soft jaw protects cable and prevents creeping. Fits all lines from 2-50mm diameter



Compliant with AS 3891.2 2018

- Dielectric strength tested
- Snow and ice tested
- Ozone tested
- Wind tunnel tested
- Aerodynamic 3D design, rotates for high impact visibility from all angles of approach

WARNING MARKERS

ROTAMARKA™

PATENT PENDING

Recommended Products

Choose Eye Ring or Bayonet



Warning Marker Drive Tool

WMDT | ~42 x 22mm SS (works with Eye or Bayonet)

ROTAMARKA Install/uninstall tool - universal - Eye

LLCR-E | ~300 x 55

**

Installation Options



Can be installed from Bucket Truck with Shotgun Stick (Eye version)

Can be installed from ground with Telescopic Stick and LLCR-E Tool (Eye version)

This is a guide only, consult our Instructions For Use for further details.
Perform a risk assessment prior to undertaking any work.
Only to be used by industry certified personnel.
Must comply with all relevant work practice rules and industry guidelines.

*4Nm recommended tightening torque

**Image representative only

WARNING MARKERS

ROTAMARKA™

PATENT PENDING

Recommended Products

Power line strikes from construction and agricultural plant and equipment are an all too common occurrence, potentially causing serious injury or death.

These incidents can result in major asset damage and power outages.

Our Rotamarka™ has been specifically designed to mitigate against these risks faced by electrical transmission and distribution companies, as well as contractors and industry workers worldwide.

- Designed with science
- Premium reflectors on all fins
- High internal contrast of fins provides better visibility in a range of environmental conditions
- Less markers required on lines
- Highly tested, designed for durability
- Aerodynamic design rotates for high impact visibility
- AS 3891.2 2018 Clause 2.3.1 (d) compliant
- 3D design provides enhanced visibility from all angles of approach

ROTAMARKA™

PATENT PENDING

WARNING MARKERS

Recommended Products

Warning Marker - Part Number Legend

Example :: WM-CS-B-1H-RW
A B C D E

A - **Product type:** WM (Warning Marker)
B - **Line attachment:** CS (Clamp Screw)
C - **Hot Stick Attachment:** B/E (Bayonet or Eye Ring)
D - **Style of warning device:** 1H/1J (Rotamarka™ Flag)
E - **Colour:** RW/O/BY/BW (Red/White, Orange, Black/Yellow, Black/White)

WM-CS-E-1H-BW WM-CS-B-1H-BW	WM-CS-E-1H-RW WM-CS-B-1H-RW	WM-CS-E-1H-BY WM-CS-B-1H-BY	WM-CS-E-1J-O WM-CS-B-1J-O

LINE GUARDS

- Unique striped safety feature

- Stamped & rated to comply with Australian and International Standards
- Robust design and construction backed by decades of engineering to ensure the highest quality & safety standards
- Eyelet in bell housing allows locking by cable ties & complies with WHS requirements





- Weather resistant

- LV & HV options available
- Rigid guards or flexible style hose cater for most requirements
- Suitable for use on Power Lines & Wires as visual warning, mechanical protection and electrical insulation

LINE GUARDS

Recommended Products

LION TAILS™



DB45B | 2m x 45mm male/female lengths
PE, Yellow outer, Black inner safety feature
ASTM F 712, Class 2 15KV*

DB35B | 2m x 35mm male/female lengths
PE, Orange outer, Black inner safety feature
ASTM F 712, Class 3 26KV*

Class 2 15KV

Class 3 26KV

*Both phases covered | Other length options available on request

LINE GUARDS

Recommended Products

TIGER TAILS™

DB35A | 2.5m x 35mm

DB35ARB | 2.5m x 35mm

DB35ARB125 | 1.25m x 35mm

DB45A | 2.5m x 45mm

LS70 | 2m x 70mm

AS 4202
650V

ASTM F712 14.6KV
(Special Order)

LINE GUARDS

Recommended Products

PANTHER TAILS™

Class 2 14.6KV

TPP15-Kit Installation tool kit for TPP15 Rolls

1. TPP15 | 60m x 15mm roll | EVA Black outer, Yellow inner safety feature | Electrically tested to ASTM F 712 Class 2 15KV*

2. TPP20 | 3m x 20mm male / female lengths | HDPE, Black Outer, Yellow inner safety feature | ASTM F 712 Class 2 15KV*

3 . TPP35 | 3m x 35mm male / female lengths | HDPE, Black Outer, Yellow inner safety feature | ASTM F 712 Class 2 15KV*

***Both phases covered**

LINE GUARDS

Guy Guards

GG | 2m x 45mm | HDPE

For Stay & Guy Wires
(not rated for electrical insulation)

Jumper Wire Guards

IPEP | 10m x 35mm | EVA | AS4202 Class 1 | 650V

Flexible hose for covering Bonds, Bridges & Jumper Wires

Electrically tested to ASTM F712 Class 2 14.6KV

GLOVES & SLEEVES

LV HV Testing Services Available

- Pure Latex Gloves manufactured under ISO 9001 ISO 14001
- Certified to EN/IEC 60903 also available in ASTM D120
- Ergonomically shaped excellent strength & durability
- Supreme feel & flexibilty
- Outer Protector Gloves custom designed to perfectly complement the Marigold Rubber Insulating Glove

- Manufactured without the use of solvents & hazardous chemicals utilising a proprietary aqueous dipping process
- Acid resistant
- Ozone resistant
- Low temperature resistant
- Comprehensive range of classes, colours, lengths and sizes, including half sizes
- Various cuff styles available including straight, contour and bell
- Arc flash certified

LV HV Testing Services Available

GLOVES & SLEEVES

Use the Chart below to determine the appropriate level of protection for your application

Labeling Chart
Marigold® Natural Rubber Electrical Protection Equipment

Class Colour	Proof Test Voltage AC/DC	Max. Use Voltage AC/DC	Insulating Rubber Glove Label
00 Beige	2,500 / 10,000	500 / 750	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 00
0 Red	5,000 / 20,000	1,000 / 1,500	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 0
1 White	10,000 / 40,000	7,500 / 11,250	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 1
2 Yellow	20,000 / 50,000	17,000 / 25,500	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 2
3 Green	30,000 / 60,000	26,500 / 39,750	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 3
4 Orange	40,000 / 70,000	36,000 / 54,000	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 4

Outer Protector Gloves should always be worn over Rubber Insulating Gloves to prevent mechanical damage to the rubber gloves. The Outer Protector must be properly sized and shaped to avoid the deformation or damage of the Rubber Insulating Glove. The minimum distance between the cuff of the Rubber Insulating Glove and the cuff of the Outer Protector Glove is listed in the table below "Clearance for Outer Protectors".

Clearance Table for Outer Protectors

Glove Class	Min. Distance Between Outer Protectors & Rubber Insulating Gloves	
	inches	mm
00, 0	½	13
1	1	25
2	2	51
3	3	76
4	4	102

LV HV Testing Services Available

GLOVES & SLEEVES

Glove Length
280 mm (11 inch)
360 mm (14 inch)
400 mm (16 inch)
460 mm (18 inch)

Glove Size	Nominal Hand Circumference	
7	7 inches	
8	8 inches	203 mm
8½	8½ inches	216 mm
9	9 inches	229 mm
9½	9½ inches	241 mm
10	10 inches	254 mm
10½	10½ inches	267 mm
11	11 inches	279 mm

Tolerance = +/- 13 mm
* Allow an extra half inch if cotton inners are to be used

How to measure

Measure around your hand above the V of the thumb. This gives you the circumference in inches.

Rubber Insulating Glove Item Number Legend

Example :: RIG-4-18-YB-C-10H
A B C D E F

A - **Glove type**: RIG (Rubber Insulating Glove)

B - **Class**: 00/0/1/2/3/4

C - **Length**: 11/14/16/18 (inches)

D - **Colour**: R/Y/YB/BY (Red, Yellow, Yellow under Black, Black under Yellow}

E - **Cuff**: S/C/B (Straight/Contour/Bell)

F - **Size**: 7/8/8H/9/9H/10/10H/11 (H = ½ sizes)

LV HV Testing Services Available

GLOVES & SLEEVES

Rubber Insulating Sleeve Item Number Legend

Example :: RIS-4-RY-EC-Regular

A B C D E

- A - **Sleeve type:** RIS (Rubber Insulating Sleeve)
- B - **Class:** 2/3/4
- C - **Colour:** RY (Red under Yellow)
- D - **Arm:** EC/S (Extra Curve/Straight)
- E - **Size:** S/R/L/EL (Small/Regular/Large/Extra Large)

Extra Curved Arm Sleeve

	A in. (mm)	B in. (mm)	C in. (mm)	D in. (mm)
Small	24.25 (616)	15.13 (384)	12.5 (317)	5.75 (146)
Regular	26.5 (673)	15.5 (394)	12.25 (311)	5.25 (140)
Large	27.75 (705)	16 (406)	12.87 (328)	6.87 (175)
Extra Large	29.5 (749)	17.5 (445)	12.87 (327)	7 (178)



GLOVES & SLEEVES

LV HV Testing Services Available

(Dual Layer)

AVAILABLE ON REQUEST

Recommended Products

Class 00 - 500V Straight Cuff 11 inch

RIG0011RS7	Size 7
RIG0011RS8	Size 8
RIG0011RS8H	Size 8½
RIG0011RS9	Size 9
RIG0011RS9H	Size 9½
RIG0011RS10	Size 10
RIG0011RS10H	Size 10½
RIG0011RS11	Size 11

Class 00 - 500V Straight Cuff 14 inch

RIG0014YS7	Size 7*
RIG0014YS8	Size 8*
RIG0014YS9	Size 9*
RIG0014YS10	Size 10*
RIG0014Y11	Size 11*

*Special Order

Class 0 - 1000V Straight Cuff 14 inch

RIG014YS7	Size 7
RIG014YS8	Size 8
RIG014YS8H	Size 8½
RIG014YS9	Size 9
RIG014YS9H	Size 9½
RIG014YS10	Size 10
RIG014YS10H	Size 10½
RIG014YS11	Size 11

Class 0 - 1000V Straight Cuff 11 inch

RIG011YS8	Size 8*
RIG011YS9	Size 9*
RIG011YS10	Size 10*
RIG011 YS11	Size 11*

Class I - 5KV Straight Cuff 14 inch

RIG114YBS8	Size 8*
RIG114YBS8H	Size 8½*
RIG114YBS9	Size 9
RIG114YBS9H	Size 9½
RIG114YBS10	Size 10
RIG114YBS10H	Size 10½
RIG114YBS11	Size 11*

GLOVES & SLEEVES

LV HV Testing Services Available

Class 2 - 17KV Bell Cuff 16 inch

RIG216YBB8	Size 8*
RIG216YBB8H	Size 8½*
RIG216YBB9	Size 9
RIG216YBB9H	Size 9½
RIG216YBB10	Size 10
RIG216YBB10H	Size 10½
RIG216YBB11	Size 11*

Class 2 - 17KV Straight Cuff 16 inch

RIG216YBS8	Size 8
RIG216YBS8H	Size 8½
RIG216YBS9	Size 9
RIG216YBS9H	Size 9½
RIG216YBS10	Size 10
RIG216YBS10H	Size 10½
RIG216YBS11	Size 11

Class 2 - 17KV Contour Cuff 18 inch

RIG218YBC8	Size 8*
RIG218YBC8H	Size 8½*
RIG218YBC9	Size 9
RIG218YBC9H	Size 9½
RIG218YBC10	Size 10
RIG218YBC10H	Size 10½
RIG218YBC11	Size 11*

Class 3 - 26.5KV Bell Cuff 16 inch

RIG316YBB8	Size 8*
RIG316YBB8H	Size 8½*
RIG316YBB9	Size 9
RIG316YBB9H	Size 9½
RIG316YBB10	Size 10
RIG316YBB10H	Size 10½
RIG316YBB11	Size 11*

Class 3 - 26.5KV Straight Cuff 16 inch

RIG316YBS8	Size 8
RIG316YBS8H	Size 8½
RIG316YBS9	Size 9
RIG316YBS9H	Size 9½
RIG316YBS10	Size 10
RIG316YBS10H	Size 10½
RIG316YBS11	Size 11

Class 3 - 26.5KV Contour Cuff 18 inch

RIG318YBC8	Size 8*
RIG318YBC8H	Size 8½*
RIG318YBC9	Size 9
RIG318YBC9H	Size 9½
RIG318YBC10	Size 10
RIG318YBC10H	Size 10½
RIG318YBC11	Size 11*

*Special Order

LV HV Testing Services Available

GLOVES & SLEEVES

Class 4 - 36KV Bell Cuff 18 inch

RIG418YBB9	Size 9
RIG418YBB9H	Size 9½
RIG418YBB10	Size 10
RIG418YBB10H	Size 10½
RIG418YBB11	Size 11*

Class 4 - 36KV Straight Cuff 18 inch

RIG418YBS9	Size 9
RIG418YBS9H	Size 9½
RIG418YBS10	Size 10
RIG418YBS10H	Size 10½
RIG418YBS11	Size 11

Class 4 - 36KV Contour Cuff 18 inch

RIG418YBC9	Size 9
RIG418YBC9H	Size 9½
RIG418YBC10	Size 10
RIG418YBC10H	Size 10½
RIG418YBC11	Size 11*

Class 2 - 17KV Extra Curved

RIS2RYECS	Small
RIS2RYECR	Regular
RIS2RYECL	Large

Class 3 - 26.5KV Extra Curved

RIS3RYECS	Small
RIS3RYECR	Regular
RIS3RYECL	Large

Class 4 - 36KV Extra Curved

RIS4RYECS	Small
RIS4RYECR	Regular
RIS4RYECL	Large

Also available in selected sizes

LV HV Testing Services Available

GLOVES & SLEEVES

LV Outer Protector 10 inch - Goatskin Velcro Cotton Strap Kevlar Thread

OUTLVGS7	Size 7
OUTLVGS8	Size 8-8½
OUTLVGS9	Size 9-9½
OUTLVGS10	Size 10-10½
OUTLVGS11	Size 11

Note: Choose same size as Marigold Class 00 and 0 gloves or best fit for comfort

HV Outer Protector 12 inch - Goatskin

OUTHVGS8	Size 8-8½
OUTHVGS9	Size 9-9½
OUTHVGS10	Size 10-10½
OUTHVGS11	Size 11

Note: Choose same size as Marigold Class 1, 2, 3 & 4 gloves or best fit for comfort

Powerflex, Neo Coat LVL4 Flame, LVL5 Cut EN

PFLEX-8	Size 8
PFLEX-9	Size 9
PFLEX-10	Size 10
PFLEX-11	Size 11

Note: Choose one size up if using over Marigold Class 00 and 0 Gloves or best fit for comfort

Inner Liners One Size Fits All

COT1	Cotton - Interlock	10"
COT2	PolyCotton - Knitted	10"
COT3	Cotton - Interlock	14"

Glove Talc

GLO-TALC | 100g

Glove Air Test Tool

GLO-ROL1	360 x 40	HV
GLO-ROL2	300 x 25	LV



Sleeve Accessories

B2	Sleeve Buttons (1pc)
B22	Sleeve Buttons (2pc - 4 pack)
H1	Harness C/W 4 B2 Buttons
S1	Straps (2) C/W 4 B2 Buttons



GLOVES & SLEEVES

LV HV Testing Services Available

Recommended Products

LV Glove Bag
2 Pocket Treated Canvas
Velcro Close - Webbing Loops

26012 | 390x210x45

LV Glove Bag
1 Pocket Loomstate Canvas
Velcro Close - Webbing Loop

26023 | 400x220x75

LV Glove Bag
2 Pocket Loomstate Canvas
Velcro Close - Webbing Loop

26016 | 400x220x75

LV Glove Bag
3 Pocket Loomstate Canvas
Velcro Close - Webbing Loop

26017 | 400x220x150

HV Glove Bag
2 Pocket Loomstate Canvas
Velcro Close - Metal Snap Hook

26042 | 500x220x150

HV Glove & Sleeve Bag
3 Pocket Loomstate Canvas
Velcro Close - Metal Snap Hook

26035 | 700x200x250

MATS & COVERS

LV HV Testing Services Available

- EPDM Rubber or PVC material options
- Dual colour material safety options available
- Non-slip & flexible Ground Mats
- Weather resistant

- Crease in Class I PVC style covers to conform to line

- Stamped & rated to comply with Australian and International Standards
- Meets ENA & electrical safety rules and guidelines in most States and Territories

ENVIRONMENTALLY FRIENDLY

AUSTRALIAN MADE

INDUSTRY STANDARD PRODUCT AUSTRALIA WIDE

Recycling of off-cuts into firehose when possible

LV HV Testing Services Available

Recommended Products

MATS & COVERS

Ground Mats EPDM

1. | 181A-1 | 1mx1mx6mm | Class A | 650V | Cut-out
| 181A-2 | 1.2mx1mx6mm | Class A | 650V | Plain

3. | 181A-3 | 1.5mx1mx6mm | Class A | 650V | Slots
| 181A-4 | 900x900x6mm | Class A | 650V | Plain

1.

3.

Custom cut-outs
available MOQ's apply

Equipotential Mats

• | 181EP-1 | 770x770mm | C/W Bag

Ground Mats 1mx1mx6mm EPDM



- 181A• | Class A | 650V
- 1810* | Class 0 | 1000V
- 1811* | Class 1 | 7.5KV
- 1812* | Class 2 | 17KV
- 1813* | Class 3 | 26.5KV
- 1814* | Class 4 | 36KV

• AS2978
* IEC61111

Ground Mats 10mx1mx6mm EPDM Cut-to-length

181A-ROLL• | Class A | 650V
1810-ROLL* | Class 0 | 1000V
1811-ROLL* | Class 1 | 7.5KV
1812-ROLL* | Class 2 | 17KV
1813-ROLL* | Class 3 | 26.5KV
1814-ROLL* | Class 4 | 36kV



• AS2978 Minimum 900mm cut size
* IEC61111 Minimum 600mm cut size

LV HV Testing Services Available

Recommended Products

MATS & COVERS

Line Covers 650V PVC Magnet/Press Studs AS4202

2003 | 1.2mx225mm drop
3003 | 1.2mx300mm drop
4004 | 1.2mx375mm drop
5002 | 1.5mx225mm drop

Line Covers 650V PVC Studs AS4202

2001 | 1.2mx225mm drop
3001 | 1.2mx300mm drop
4001 | 1.2mx375mm drop
5001 | 1.5mx225mm drop
6001 | 1.8mx225mm drop



Line Covers 650V EPDM Velcro AS4202

2004 | 1.2mx225mm drop
2006 | 600x225mm drop
2010 | 1mx235mm drop
3002 | 1.2mx300mm drop

Cross Arm Covers 650V AS4202

7001 | 1.2mx375mm drop | PVC Studs
7004 | 1.2mx225mm drop | EPDM Velcro
7008 | 1.2mx225mm drop | PVC Mag/PStuds
7010 | 1mx235mm drop | EPDM Velcro



Comms Cable Covers 650V AS4202

7002 | 1.2mx225mm | EPDM Velcro
8002 | 600x225mm | PVC Studs
8006 | 600x225mm | PVC Mag/PStud



Fuse Link Covers 650V AS4202

8001 | 600x375mm drop | PVC Studs
8007 | 850x850mm | PVC Plain
8010 | 850x700mm | EPDM Velcro
8016 | 400x400mm drop | PVC Studs
8020 | 600x375mm drop | PVC Mag

LV HV Testing Services Available

Recommended Products

MATS & COVERS

Substation & Switchboard Kits

Clear or Yellow Drapes Available

Available Fasteners:
(Magnetic, Eyelet, Clamps)

16002 | (9008) (9007) (9019) (181A) (25006) (26031) (YS-211-3-5)
2 x small plain Drapes, 2 x medium plain Drapes, 1 x large plain Drape, 1 x Ground Mat, 1 x Velcro Strap, 1 x Bag, 4 x Clamps

16003 | (10005) (10006) (181A) (25006) (26031)
4 x small magnetic Drapes, 2 x large magnetic Drapes, 1 x Ground Mat, 1 x Velcro Strap, 1 x Bag

16004 | (10005) (10021) (26031) (YS-211-3-5)
4 x small magnetic Drapes, 2 x large magnetic Drapes, 1 x Bag, 4 x Clamps

16005 | (10005) (10006) (26031)
4 x small magnetic Drapes, 2 x large magnetic Drapes, 1 x Bag

16006 | (10029) (10030) (181A) (25006) (26031)
4 x small magnetic Drapes, 2 x large magnetic Drapes, 1 x Ground Mat, 1 x Velcro Strap, 1 x Bag

16007 | (10031) (10032) (26031) (YS-211-3-5)
2 x small clear magnetic Drapes, 2 x large clear magnetic Drapes, 4 x Clamps, 1 x Bag

Custom kits available upon application, MOQ's apply

Street Light Column Kits

14001 | (23002) (INS-S) (INS-L) (26004)
1 x magnetic Column Cover (pair), 2 x small Inserts, 2 x large Inserts, 1 x Bag

14002 | (23002) (INS-S) (INS-L) (181A) (25006) (26031)
1 x magnetic Column Cover (pair), 2 x small Inserts, 2 x large inserts, 1 x Ground Mat, 1 x Velcro Strap, 1 x Bag

14003 | (23002) (INS-S) (26004)
1 x magnetic Column Cover (pair), 2 x small Inserts, 1 x Bag

Custom kits available upon application, MOQ's apply

Images representative only!

LV HV Testing Services Available

Recommended Products

MATS & COVERS

Substation & Switchboard Drapes EPDM 650V

	9016	1mx100mm	plain
	9017	600x300mm	plain
	9018	300x300mm	plain
	10007	300x225mm	eyelets
	10008	450x300mm	eyelets
●	10009	600x450mm	eyelets
	10010	900x600mm	eyelets
	10011	1.8mx900mm	eyelets

Substation & Switchboard Drapes PVC 650V

	8008	850x850mm	magnetic
	9007	600x450mm	plain
	9008	400x300mm	plain
	9019	1.2mx900mm	plain
●	10005	600x450mm	eyelets/mag
	10006	1.2mx600mm	eyelets/mag
	10020	900x900mm	eyelets
	10021	2mx600mm	magnetic

Substation & Switchboard Drapes 650V Cut-to-length

9001 | 12mx1.2mx2mm | PVC
9009 | 12mx1.2mx2mm | EPDM



Sold by the metre

Cable End Covers PVC 650V

	19001	180x110mm	
●	19002	245x190mm	
	19003	230x110mm	

Image representative only!

MATS & COVERS

Bags
PVC - Zipper

1. | 26014 | Line Cover Bag | 1.4mx400x100mm
2. | 26015 | Ground Mat Bag | 1.1mx150x100mm

Fits up to 5x1.2m long Line Covers

Fits standard 1mx1m Ground Mat

Clamp Polypropylene

YS-211-3-5 | 220x115x22mm

Straps Velcro

25005 | 500x50mm
25006 | 1mx50mm



Studs

Sold each not pair

1. | 24003 | Magnet
2. | PB4 | Standard Stud
3. | PB5 | Male and female Press Stud

RESCUE KITS & ACCESSORIES

- Pole Top Kits and components
- Low Voltage Switchboard Rescue Kits and components
- Latest comfort style Linesman Safety Harnesses/Belts, leading brands
- Customised kits and accessories to meet local and national industry standards

- Quality manufacturers and brands
- Easy adjusting Pole Straps
- Friction descenders and lowering devices
- Rescue Bags & Boxes
  Pouches
  Knives
  Gloves
  Cutters
  Crooks

Images representative only, actual brands supplied may differ.

RESCUE KITS & ACCESSORIES

Recommended Products

Pole Top Rescue Kit (NSW - ASP - C/W Bag)

11006 | 1x Bag, 1x CPR card, 1x Anchor Strap
1x Body Belt & Pole Strap, 1x Knife,
1x Rope, 1x Rubber Gloves

Pole Top Rescue Kit (NSW - ASP - C/W Box)

11019 | 1x Box, 1x CPR card, 1x Body Belt & Pole Strap,
1x Knife,1x Rope, 1x Rubber Gloves, 1x Anchor Strap

LV Switchboard Rescue Kit

11002 | 1x Bag, 1x CPR Card, 1x Crook, 1x Torch, 1x Isolate Here Sign,
1x Trauma Dressing, 1x Fire Blanket, 1x Rubber Gloves

Pole Top Rescue Kit (VIC & TAS)

11003 | 1x Bag, 1x CPR card, 1x Anchor Strap, 1x Body Belt and Pole Strap,
1x Pliers, 1x Riggers Gloves, 1x Webbing Cutter, 1x Rubber Gloves

RESCUE KITS & ACCESSORIES

Tool Bags

26018 | 350x150x250 | 15 Internal Pockets
26022 | 380x290 | 2 External Pockets
26028 | 9 Pocket | Webbing Belt

1.

2.

3.

PPE Equipment Bags

26036 | 780 x 286 x 360 Canvas (heavy duty)
26040 | 550 x 300 x 300 Canvas (medium duty)

Rescue Descender Devices

ANC-ST-2 | 1.8m

LV Crooks

GAN-CRK | 370 x 25 HDPE

NOTES

balmoral™
engineering

balmoralengineering.com | info@balmoralengineering.com | +61 2 9482 4000