



## Glove and Sleeve Bags Instructions for use

- ***This product is to be used by authorised industry trained personnel only.***
- ***The use of this product must adhere to appropriate work practises and or industry standards ensuring compliance to all Workplace Health and Safety Regulations.***
- ***This product may only be installed onto an asset when the asset owner has approved of such installation.***
- ***Failure to follow appropriate work practices and operational instructions or modifications to this equipment can result in product damage and or serious injury.***
- ***These instructions are to be read in conjunction with the Balmoral Engineering terms and conditions published on our website.***

**BALMORAL™** products covered by this document:

			
26012	26016	26017	26023
LV Glove Bag- 390x210x45-2Poc-Canv- Green-Vel	LV Glove Bag- 400x220x75-2Poc-Loop- Canvas-Nat-Velc	LV Glove Bag- 400x220x150-3Poc- Loop-Canvas-Nat-Velc	LV Glove Bag- 400x220x75-1Poc- Canvas-Natural-Velcro
			
26035	26036	26042	
HV Glove & Sleeve Bag- 700x200x250-3Poc-Loom Canvas-Velc	PPE Glove & Gear Bag- 780x250x360-Canvas- Zipper	HV Glove Bag- 500x200x90-2Poc-Loop- Canvas-Nat-Velc	

It is recommended that **BALMORAL™** Glove and Sleeve Bags should be cared for in the following manner:

### Storage:

- To prevent premature wear of the Glove and Sleeve Bag, During work keep out of direct sunlight and/or rain.

Note: other storage methods may be suitable, however, if these methods have not been approved by Balmoral, then the customer takes full responsibility for their suitability.

- We recommend that Glove Bags be stored in a clean, temperature - stable environment away from sharp objects, sunlight, ozone and steam.
- Kept clear of all oil based products and hydrocarbon derivatives.



Compiled/Updated	Approved	Issued Date	Revision
ZB	CD	29/09/2025	2

#### Use:

- Prior to commencement of work, Each bag should be visually inspected for defects that could hinder performance, for a detailed explanation of this process, please refer to the section: “Periodic Visual Inspection and Care”.
- It is recommended that only solid objects with no sharp edges or burrs be stored in the bags to ensure longevity and prevent premature defects from occurring

#### Periodic Visual Inspection and Care:

- It is recommended that where it is possible or practical to do so, all Glove Bags be periodically inspected, cleaned and then re-inspected. This periodic inspection is recommended to take place every 6 months and should be an adjunct not a replacement for the routine (prior to use) inspection.

To aid visual inspection:

- The contents of each bag removed and placed nearby
- Each component should be cleaned separately using the recommended cleaning procedure
- Clean the glove bag with soapy water and a soft bristle brush

Defects may appear as embedded objects, rips or tears along the walls of the bag, widespread loosening of the thread or components becoming loose.

#### Zippers:

- It is especially important that zippers are cleaned regularly to ensure they remain free from debris and/or rust.
- While the zipper teeth are made from non-conductive materials, this should not be relied upon. Caution that the zipper slider is conductive.

#### Velcro:

- It is especially important that Velcro is cleaned regularly to ensure a proper connection.

**For more product information please visit our website:**

[www.balmoralengineering.com](http://www.balmoralengineering.com)